

SECTION I - MANUFACTURER IDENTIFICATION

PRODUCT CODE: HS-02CF820 HMIS CODES: H F R P
PRODUCT NAME: HEMPSHIELD DECK FINISH - CHESNUT 1 1 0 B
MANUFACTURER'S NAME: FIBRE ALTERNATIVES
ADDRESS : 1573 WILSON CT.
EUGENE, OR 97402

INFORMATION PHONE: 1(541)345-7498 DATE ISSUED: 1/27/2011
EMERGENCY PHONE: 1(800)255-3924 CHEMTEL INC. (Contract Number MIS0006999)
INTERNATIONAL EMERGENCY PHONE: + 1 (813)248-0585 CHEMTEL INC.

SECTION 2 - COMPOSITION/INFORMATION ON INGREDIENTS

| REPORTABLE COMPONENTS | CAS NUMBER |
|-----------------------|-------------|
| HEMP OIL | PROPRIETARY |
| IRON OXIDE | 001309-37-1 |
| DIETHYLENE GLYCOL | 000111-46-6 |

SEE SECTION 15 FOR SARA AND HAPS INFORMATION.

SECTION 3 - HAZARD IDENTIFICATION

Note: This product is a blend of materials which has not been tested as a mixture. The health effect data is based on the individual components.

INHALATION:
Inhalation of spray mist may irritate nasal passages.

EYE CONTACT:
Eye watering, irritation and reddening from contact.

SKIN CONTACT:
Direct or prolonged contact may cause irritation.

SKIN ABSORPTION:
None known.

INGESTION:
Swallowing large quantities may result in headaches, nausea, vomiting, stomach cramps, and diarrhea.

CHRONIC HEALTH RISKS
None known.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE
Pre-existing skin, respiratory, liver and kidney disorders.

SECTION 4 - FIRST AID MEASURES

EYES: Immediately flush with large quantities of running water for 15 minutes, lifting the upper and lower eyelids occasionally. If irritation persists get medical attention.
SKIN: Wash with soap and water. Get medical attention if irritation persists after washing.

INGESTION: If large amounts are ingested, get medical attention. Do not induce vomiting unless directed by a physician.
INHALATION: Remove to fresh air.

SECTION 5 - FIRE-FIGHTING MEASURES

FLASH POINT: Over 200 deg F
FLAMMABLE LIMITS IN AIR BY VOLUME- LOWER: n/a UPPER: n/a
EXTINGUISHING MEDIA: Foam, Alcohol foam, CO2, Dry chemical,
Water fog.

SPECIAL FIREFIGHTING PROCEDURES: Hazardous decomposition products may form from incomplete combustion. Wear full protection gear with self-contained positive pressure breathing apparatus.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Closed containers can build pressure under heat and rupture violently. Keep cool with water. Product may spatter if temperature exceeds boiling point of water.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Use absorbent material to collect spill.

SECTION 7 - HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Keep from freezing - Product stability may be effected. Store in a cool, dry, well-ventilated place away from incompatible materials. Keep container tightly closed when not in use. Do not use pressure to empty container. Wash thoroughly after handling. Do not get in eyes, on skin or on clothing.

OTHER PRECAUTIONS: To avoid spontaneous combustion during temporary storage, soak soiled rags and waste immediately after use in a water-filled, closed metal container.

SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION

RESPIRATORY PROTECTION: Use NIOSH approved respirator for dusts/mists when spraying this product.

VENTILATION: Good general ventilation should be sufficient for most conditions. Use local exhaust if necessary to control mist or vapor.

PROTECTIVE GLOVES: Use gloves impervious to liquid.

EYE PROTECTION: Goggles or approved safety glasses should be worn. DO NOT wear contact lenses when working with chemicals. Contact lenses can trap chemical next to eye which may increase eye damage.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: None known.

WORK/HYGIENIC PRACTICES: In handling any chemicals, personal hygiene is extremely important. Always wash your hands and face before eating or when done handling or using this product. Keep food and drink out of work areas.

